



Screen portafinestra a doppio battente con fiancoluce, laccato bianco RAL 9010
Screen double leaf French door with sidelight, lacquered white RAL 9010

SCREEN

FINESTRA / PORTAFINESTRA BLINDATA
SECURITY WINDOW / FRENCH DOOR





Screen finestra e portafinestra con sopraluce, laccato RAL 7043
Screen window and French door with fanlight, lacquered RAL 7043

UNA FINESTRA che sa difendervi

A WINDOW
able to protect you

Se la sicurezza della vostra casa anche per voi è sinonimo di serenità, la finestra blindata Screen è il naturale complemento di una porta blindata Dierre. Caratterizzata da una robusta struttura con profilo di acciaio, Screen unisce protezione ed estetica in un unico prodotto. Grazie ai numerosi rivestimenti proposti, in essenze naturali, tinte o laccate, il serramento è del tutto simile alle normali chiusure in legno. Corredata da vetri disponibili in svariate finiture, sempre omologati nelle Classi di certificazione più alte di resistenza all'effrazione, Screen è disponibile nelle versioni Finestra anta singola e doppia e Portafinestra anta singola e doppia. Tutte possono prevedere il sopra luce e/o il fiancoluce, inserito come anta fissa.

If the security of your home also means peace of mind to you, the security window Screen goes side by side with a Dierre security Door. Featured by a strong structure with steel profile, Screen combines both security and aesthetics in a single product. Thanks to the many proposed panelling types, in natural wood, stained or lacquered, the window is very similar to the standard wooden windows. Equipped with glass available in various finishes, always approved in the highest burglar-proof resistant certification classes, Screen is available in the single and double leaf Window and single and double leaf French door. These can all include fanlight and sidelight, inserted as fixed leaf.



PROVE prestazionali

PERFORMANCE tests

Severi e accurati controlli certificano le finestre Screen come la migliore protezione per il vostro ambiente. Gli ottimi standard d'isolamento all'aria, all'acqua, al rumore, al vento, al caldo e al freddo, sono stati ottenuti grazie ad una tecnologia produttiva all'avanguardia e all'assoluto pregio dei materiali impiegati.

- Permeabilità all'aria classe 4 UNI EN 1026 e UNI EN 12207 *
- Tenuta all'acqua classe 7A UNI EN 1027 e UNI EN 12208 *
- Resistenza al vento classe C5 UNI EN 12210 e UNI EN 12211 *
- Resistenza all'effrazione classe 3 ENV 1627
- Isolamento acustico di 41dB UNI EN ISO 140-3 e UNI EN ISO 717-1 (versione finestra a un'anta)
- Isolamento acustico di 39dB UNI EN ISO 140-3 e UNI EN ISO 717-1 (versione finestra a due ante)

* Valida per versione a finestra a un'anta e due ante.

Strict and accurate controls certify the Screen windows as the best protection for your surroundings. The excellent insulation standards to air, water, noise, wind, hot and cold, have been obtained thanks to a forefront production technology and the absolute quality of materials used.

- *Permeability to air class 4 UNI EN 1026 and UNI EN 12207 **
- *Watertightness class 7A UNI EN 1027 and UNI EN 12208 **
- *Wind resistance class C5 UNI EN 12210 and UNI EN 12211 **
- *Resistance to housebreaking class 3 ENV 1627*
- *Acoustic insulation 41dB UNI EN ISO 140-3 and UNI EN ISO 717-1 (single leaf window version)*
- *Acoustic insulation 39dB UNI EN ISO 140-3 and UNI EN ISO 717-1 (double leaf window version)*

* Valid for single leaf and double leaf window version.





Screen portafinestra a doppio battente, laccato RAL 9005
Screen double leaf French door, lacquered RAL 9005

SICUREZZA certificata

CERTIFIED
security



Screen finestra doppio battente, laccato RAL 7004
Screen double leaf window, lacquered RAL 7004

Grazie ad un sistema articolato di dispositivi di sicurezza, Screen ha ottenuto la certificazione antieffrazione in classe 3 ENV 1627. Il rostro verticale, il catenaccio inferiore, il gancio della serratura rendono la finestra inviolabile. Così come il vetro stratificato da 32 millimetri, che ha superato la "prova dell'ascia", ottenendo la categoria di resistenza EN 356 P6B secondo la norma UNI EN 356:2002. A richiesta, è possibile dotare Screen di una serratura a mezzo cilindro New Power o D-Up.

Thanks to a complex system of security devices, Screen has obtained the burglarproof certification, class 3 ENV 1627. The vertical hinge grip, the lower locking bolt, the hook of the lock make the window inviolable. As well as the 32 mm laminated glass which passed the "axe test", obtaining the EN 356 P6B resistance category according to the UNI EN 356:2002 standard. On request, you can equip Screen with a New Power or D-Up half cylinder lock.

NEW POWER *

D-UP **



CHIAVE STANDARD
STANDARD KEY



JACK KEY



CHIAVE STANDARD
STANDARD KEY




EASY KEY

* di serie * standard
** a richiesta ** on request



MOSTRINA CILINDRO + MANIGLIA
CYLINDER ESCUTCHEON + HANDLE



QUARTO LATO PORTA FINESTRA
FRENCH DOOR FOURTH SIDE




QUARTO LATO FINESTRA
WINDOW FOURTH SIDE



ROSTRO VERTICALE
VERTICAL GRIP



CATENACCIO INFERIORE
LOWER LATCH



GANCIO SERRATURA
LOCK HOOK

IL BELLO della sicurezza

THE BEAUTY
about security

Linee armoniose; materiali pregiati; finiture ricercate. Screen offre una gamma di soluzioni estetiche tale da soddisfare ogni esigenza. Il telaio può essere realizzato in ogni colore RAL; la struttura con profilo d'acciaio è integrata negli eleganti rivestimenti in legno massiccio di varie essenze: pino, meranti, rovere, douglas e hemlock, essenza che può essere laccata in tutta la scala RAL; i copricerniera sono in versione Modern o Classic. I pannelli, prodotti in varie tipologie, possono prevedere traversine o bugne.

Neat lines, precious materials, trendy finishes. Screen offers a range of aesthetic solutions so as to satisfy every need. The frame can be made in any RAL colour; the structure with a steel profile is integrated in the elegant solid wood panelling types in various wood types: pine, meranti, oak, douglas and hemlock and these wood types can be lacquered in the whole RAL range; the hinge covers are in the Modern or Classic version. The panels, produced in various types, may include cross boards or panels.

Maniglieria Handle sets

Lato interno
Internal side



Argento
Silver



Bianco
White



Nero
Black




Bronzo
Bronzed




Ottone (di serie)
Brass (standard)


Pomolo lato esterno (a richiesta)
Knob external side (extra)



Bronzo
Bronzed




Argento
Silver



Nero
Black



Bianco
White



Ottone
Brass

Copricerniere

Hinge covers



MODERN BIANCO
MODERN WHITE



MODERN ARGENTO
MODERN SILVER



MODERN OTTONE (DI SERIE)
MODERN BRASS (STANDARD)



MODERN BRONZO
MODERN BRONZE



MODERN NERO
MODERN BLACK



CLASSIC BIANCO
CLASSIC WHITE



CLASSIC ARGENTO
CLASSIC SILVER



CLASSIC OTTONE
CLASSIC BRASS



CLASSIC BRONZO
CLASSIC BRONZE




CLASSIC NERO
CLASSIC BLACK

Pannelli


Panels

FINESTRA E FISSA CON ANTA


FIXED WINDOW AND WITH LEAF



PANNELLO A 1
SPECCHIATURA
1-PANE PANEL




PANNELLO A 2
SPECCHIATURE
2-PANE PANEL



PANNELLO A 3
SPECCHIATURE
3-PANE PANEL




PANNELLO A 4
SPECCHIATURE
4-PANE PANEL




PANNELLO A 6 SPECCHIATURE
6-PANE PANEL

PORTAFINESTRA


FRENCH DOOR



PANNELLO A 1
SPECCHIATURA
1-PANE PANEL




PANNELLO A 2
SPECCHIATURE
2-PANE PANEL




PANNELLO A 3
SPECCHIATURE
3-PANE PANEL




PANNELLO A 4
SPECCHIATURE
4-PANE PANEL



PANNELLO A 6 SPECCHIATURE
6-PANE PANEL



PANNELLO CON BUGNA DA 500
PANEL WITH 500 FIXED PANEL




PANNELLO CON BUGNA DA 700
PANEL WITH 700 FIXED PANEL

* H1 = 500 mm / 700 mm / Centrale
* H1 = 500 mm / 700 mm / Central


I vetri
Glass

I vetri di Screen sono “a basso emissivo” o “low-e”. Sono vetri, cioè, che lasciano entrare le radiazioni termiche solari, ma impediscono la fuoriuscita della radiazione termica emessa dai caloriferi, garantendo una prestazione isolante di circa sei volte superiore a quella di un vetro singolo e, di conseguenza, un notevole risparmio economico sul consumo energetico. Tre le versioni di finitura e colorazione proposte.

Screen are “low-emissivity” glass, this being that are types of glass that let heat solar radiation in, but prevent the dispersion of thermal radiation emitted by radiators, guaranteeing an insulating performance about six times higher than that of a single glass and, consequently, a considerable cost saving on energy consumption. Three are the finishing and colour types proposed.



TRASPARENTE
CLEAR



SATINATO CHIARO
CLEAR SATIN



SABBIATO SATINATO BRONZATO
BRONZED SANDED SATIN

VARIANTI costruttive

STRUCTURAL
variations

Screen

Finestra
Window




1 ANTA CON FIANCOLUCE
1 LEAF WITH SIDELIGHT



2 ANTE CON FIANCOLUCE
2 LEAVES WITH SIDELIGHT




1 ANTA CON FIANCOLUCE E SOPRALUCE
1 LEAF WITH SIDELIGHT AND FANLIGHT



2 ANTE CON FIANCOLUCE E SOPRALUCE
2 LEAVES WITH SIDELIGHT AND FANLIGHT



1 ANTA CON DOPPIO FIANCOLUCE
E SOPRALUCE
1 LEAF WITH DOUBLE SIDELIGHT AND FANLIGHT



2 ANTE CON DOPPIO FIANCOLUCE
E SOPRALUCE
2 LEAVES WITH DOUBLE SIDELIGHT
AND FANLIGHT




1 ANTA CON FIANCOLUCE
1 LEAF WITH SIDELIGHT



2 ANTE CON FIANCOLUCE
2 LEAVES WITH SIDELIGHT



1 ANTA CON FIANCOLUCE E SOPRALUCE
1 LEAF WITH SIDELIGHT AND FANLIGHT



2 ANTE CON FIANCOLUCE E SOPRALUCE
2 LEAVES WITH SIDELIGHT AND FANLIGHT



1 ANTA CON DOPPIO FIANCOLUCE
E SOPRALUCE
1 LEAF WITH DOUBLE SIDELIGHT AND FANLIGHT



2 ANTE CON DOPPIO FIANCOLUCE
E SOPRALUCE
2 LEAVES WITH DOUBLE SIDELIGHT
AND FANLIGHT

Portafinestra *French door*



Screen porta finestra in abbinamento a Greta snodata doppio battente, laccato RAL 6005
Screen French door combined with double leaf articulated Greta, lacquered RAL 6005

GRETA

GRATA IN ACCIAIO
STEEL GRILLE

